




VHF/UHF (VHF/UHF Two Way Radio Antenna)




(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-378G	400-520MHz	2.15dBi	SMA-Female	80mm
02	SD-SC278	136-174MHz	1.8dBi	TNC	150mm
03	SD-SC09	400-520MHz	2.15dBi	BNC	100mm
04	SD-F16	400-470MHz	2.15dBi	ICOM	75mm
05	SD-TK3207	400-520MHz	1.8dBi	SMA-Female	130mm
06	SD-VX160S	400-520MHz	2.15dBi	SMA-Male	90mm
07	SD-TK2107S	400-520MHz	2.15dBi	SMA-Male	160mm
08	SD-MOTOA9	400-520MHz	2.15dBi	MOTO/MX/PL	120mm
09	SD-MTP3150	380-430MHz GPS	1.8dBi	Suitable for MOTOROLA Tetra Radio MTH800 MTP85	55mm
10	SD-GP300U	400-520MHz	2.15dBi	MOTO/MX/PL	90mm
11	SD-GP300V	136-174MHz	1.8dBi	MOTO/MX/PL	110mm
12	SD-VX150	136-174MHz	1.8dBi	SMA-Male	170mm
13	SD-SC14	400-520MHz	2.15dBi	SMA-Female	150mm
14	SD-M800	400-868MHz	2.5dBi	TNC	165mm
15	SD-VX160L	400-520MHz	2.15dBi	SMA-Male	160mm
16	SD-V85	VHF/UHF/868MHz	3.5dBi	SMA-Male	160mm




(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
17	SD-GTH	136-174MHz	1.8dBi	BNC	160mm
18	SD-F21	400-520MHz	2.15dBi	I-COM	160mm
19	SD-V8	136-174MHz	1.8dBi	BNC	150mm
20	SD-TK2217	136-174MHz	1.8dBi	SMA-Female	170mm
21	SD-TK3217	400-520MHz	2.15dBi	SMA-Female	170mm
22	SD-F11	136-174MHz	1.8dBi	I-COM	160mm
23	SD-GP3688U	400-520MHz	2.15dBi	MOTO/MX/PL	170mm
24	SD-GP3688V	136-174MHz	1.8dBi	MOTO/MX/PL	170mm
25	SD-TK2207	136-174MHz	1.8dBi	SMA-Female	110mm
26	SD-SC378	400-520MHz	2.15dBi	TNC	160mm
27	SD-TPA-AN011	400-520MHz	2.15dBi	Tait (SMA)	160mm
28	SD-SC66/88	VHF or 66-88MHz	1.8dBi	SMA-Male	213mm
29	SD-TK3107	400-520MHz	2.15dBi	SMA-Female	160mm
30	SD-XPR3500	136-174MHz	1.8dBi	MOTO/MX/PL	150mm
31	SD-HT1000V	136-174MHz	1.8dBi	MOTO/MX/PL	190mm
32	SD-HT1000	136-890MHz	1.8-3.5dBi	SMA-F (Red/white)	160mm

VHF/UHF 对讲机天线 (VHF/UHF Two Way Radio Antenna)



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-FME66	64-74MHz	2.52dBi	FME connector	480mm
02	SD-RH771-N	27MHz	3.52dBi	BNC/TNC	540mm
03	SD-SRH519	144/430MHz	2.5/3.5dBi	SMA-Male	370mm
04	SD-SRH536B	144/430MHz	2.5/3.5dBi	BNC/SMA	358mm
05	SD-CS3	CB,VHF,UHF,V/U, 800/900MHz,WiFi,4G,5.8GHz	3.5/5.5dBi	BNC/SMA/TNC	315mm
06	SD-CS2	CB,VHF,UHF,V/U, 800/900MHz,WiFi,4G,5.8GHz	3.5/5.5dBi	BNC/SMA/TNC	315mm
07	SD-CS1	144/430MHz	3.5/5.5dBi	SMA Female	460mm
08	SD-SRH805S	144/430MHz	1.8/2.15dBi	SMA	50mm
09	SD-SRJF10	144/430MHz	1.8/2.15dBi	SMA-Male/ SMA-Female	70mm
10	SD-SD006	GSM/4G/LTE	2.5dBi	SMA-Male	60mm
11	SD-SD008	144/430MHz	1.8/2.5dBi	SMA-Female	80mm




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
11	SD-RH775B	144/430MHz	2.15dBi	SMA	110/410mm
12	SD-RH775S	144/430MHz	2.15dBi	SMA	110/410mm
13	SD-RH771	144/430MHz	2.5/3.5dBi	BNC/TNC/SMA	380mm
14	SD-SCBXZ	144/430MHz	2.5dBi	TNC/SMA/BNC	170/450mm
15	SD-NH331	136-174MHz	2.0dBi	BNC/SMA	190/1050mm
16	SD-RH770	144/430MHz	3.5/5.5dBi	BNC/SMA	215/920mm
17	SD-SCFPLG10	136-174MHz	3.5dBi	BNC/SMA	190/1150mm
18	SD-SCFPLG7	136-174MHz	2.5dBi	BNC/SMA	170/600mm
19	SD-SCBDZ	136-174MHz	3.5dBi	BNC/SMA	220/1100mm
20	SD-SCHZT	136-174MHz	3.5dBi	BNC/SMA	200/900mm
21	SD-AL800	144/430MHz	3.2/5.6dBi	BNC/SMA	220/850mm
22	SD-669CR	136-174MHz	2.0dBi	SMA	200mm

CB 车载天线 (CB Mobile Antenna)



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-TURBO1000	26-28MHz	3.0dBi	PL259	1150mm
02	SD-AT1200	26-28MHz	4dBi	UHF/PL259	1200mm
03	SD-P-600	27MHz	3.5dBi	PL259	1250mm
04	SD-SUPER9	26-28MHz	4dBi	UHF/PL259	1400mm
05	SD-ML145	26-28MHz	4dBi	UHF/PL259	1450mm
06	SD-ALAN9	26-28MHz	4dBi	UHF/PL259	1500mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
07	SD-27D-95	27MHz	2.5dBi	PL259	700mm
08	SD-T3-N130	27MHz	2.0dBi	UHF/PL259	710mm
09	SD-T3	27MHz	2dBi	UHF/PL259	740mm
10	SD-27M-95	27MHz	2.5dBi	PL259	750mm
11	SD-SNAKE27	26-28MHz	2dBi	UHF/PL259	1125mm
12	SD-N60	26-88MHz	2.5dBi	PL259	1410mm

CB 车载天线 (CB Mobile Antenna)



01

02

03

04

05

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-CB82 MAG	27MHz	2.5dBi	UHF/PL259	740±10mm
02	SD-T3MAG145	27MHz	2.0dBi	UHF/PL259	740mm
03	SD-T3MAG125	27MHz	2.0dBi	UHF/PL259	740±10mm
04	MINI SNAKE 27 MAG	27MHz	2.15dBi	SMA-Female	650mm
05	SDHU-27	27MHz	3.5dBi	PL259	1200mm



06

07


08

09


10

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
06	SD-MICRO 30 MAG	26-28MHz	2.5dBi	PL259	310mm
07	SD-R27S	27MHz	2.0dBi	BNC/SMA Male	250mm
08	SD-CB-2F/3F	27MHz	3.5dBi	M10	2feet/3feet
09	SD-HF-1	7-50MHz	3.5dBi	PL259	1300mm
10	SD-HF-3	3-50MHz	3.5dBi	PL259	1300mm

车载天线 (Mobile Antenna)




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	M150	136-174MHz	3dBi	PL259	520mm
02	M150-GSA	136-174MHz	3dBi	PL259	520mm
03	MC200	340-520MHz	3.4dBi	PL259	570mm
04	PO150	136-174MHz	3.5dBi	PL259	1100mm
05	SD438SN	144-174MHz	3.4dBi	PL259	1330mm
06	MC101	134-174MHz	3.4dBi	PL259	1420mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
07	SD-R2	144/430MHz	2.15 /2.5dBi	PL259	385mm
08	SD-770S	144/430MHz	3.0 /3.5dBi	PL259	480mm
09	SD-JSD4	144/430MHz	2.5 /3.5dBi	PL259	500mm
10	SD-438VU	144/430MHz	3.0 /5.5dBi	PL259	800mm
11	SD-770H	144/430MHz	3.0 /5.5dBi	PL259	920mm
12	SD-770R	144/430MHz	2.15 /5.5dBi	PL259	960mm

车载天线 (Mobile Antenna)



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-SG506	144/430MHz	2.15 /5.0dBi	PL259	620mm
02	SD-CR8900	29/50/144/430MHz	2.15 /5.5dBi	PL259	1260mm
03	SD-438V	136-174MHz	3.4dBi	PL259	1350mm
04	SD-MC101J	134-174MHz	3.4dBi	PL259	1420mm
05	SD-CL2E	144/430MHz	4.1 /5.5dBi	PL259	1450mm
06	SD-SG7900	144/430MHz	5.0 /7.6dBi	PL259	1580mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
07	SD90GSM	800-1900MHz	5.5dBi	SMA.etc	320mm
08	SD-R2	144/430MHz	2.5 / 3.0dBi	PL259	385mm
09	SD90VU	144/430MHz	2.5 / 3.5dBi	SMA.etc	490mm
10	SD30VU	144/430MHz	2.5 / 3.5dBi	PL259.etc	500mm
11	SD90V	136-174MHz	3.5dBi	SMA.etc	550mm

NMO车载吸盘 (NMO Magnetic Base)




序号(No)	型号(Model)	头部 (Mounting)	描述 (Description)
01	SD-NMXGP1	NMO	144/430MHz or 4G 39.5×90mm
02	SD-YC2	NMO	144/430MHz or 4G 39.5×90mm
03	SD-NM-LB	NMO	Adapter with 3/8" Hole bracket(转接头含夹边)
04	SD-NMO-NF	NMO	NMO 3/4"to N-female (3/4"NMO转N母头)
05	SD-NM150	NMO	Dia:150mm
06	SD-NM90	NMO	Dia: 90mm
07	SD-NM120	NMO	Dia:120mm
08	SD-NM390	NMO	3 point magmount (三合一吸盘)
09	SD-NC1-3/4	NMO	NMO 3/4" with cable
10	11SD-NC1-3/8	NMO	NMO 3/8" with cable
11	SD-NC2	NMO	with 4m RG58 cable
12	SD-NC1-Alloyed	NMO	Alloyed 3/4" with cable

NMO车载天线 (NMO Mobile Antenna)




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-N27	27/50/70MHz	2.5dBi	NMO	500mm
02	SD-N1	136-940MHz	2.5dBi	NMO	490mm
03	SD-N1-1	136-174MHz	2.5dBi	NMO	550mm
04	SD-N3	400-520MHz	5.5dBi	NMO	890mm
05	SD-N2	136-174MHz	3.5dBi	NMO	500mm or 1310mm
06	SD-N2-V	136-174MHz	3.0dBi	NMO	500mm or 1310mm
07	SD-N4	136-174MHz	3.5dBi	NMO	1360mm

防碰车载天线 (Mobile Antenna)



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	ER450-GSM	900/1800MHz	5.5dBi	SMA-Male	600mm
02	SD4780-BBS	477MHz or 4G	6.5dBi	FME/F or SMA/M	1075mm
03	SD4780-WBS	477MHz or 4G	6.5dBi	FME/F or SMA/M	1075mm
04	SD4760-W	477MHz or 4G	6.5dBi	FME/F or SMA/M	1065mm
05	SD4760-B	477MHz or 4G	6.5dBi	FME/F or SMA/M	1065mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
06	SD-4755S0.6	698-2700MHz	6.5dBi	SMA / FME	730mm
07	SD-4755B0.6	698-2700MHz	6.5dBi	SMA / FME	730mm
08	SD-ER450B	477MHz	6.0dBi	SMA / FME	810mm
09	SD-ER450	477MHz	6.0dBi	SMA / FME	810mm
10	SD-4780BSD	477MHz or 4G	6.5dBi	SMA / FME	1070mm
11	SD-4755S1.1	477MHz or 4G	6.0dBi	SMA / FME	1100mm

车载吸盘 (Magnet Base for Mobile Antenna)



01



02



03



10



11



12



04



05



06



13



14



15



07



08



09



16



17



18

序号(No)	型号 (Model)	装备 (Mounting)	描述 (Description)
01	SD150M	Magnetic	Dia. 150mm / M8
02	SD150	Magnetic	Dia. 150mm / SO239
03	SD120T	Magnetic	Dia. 120mm / Vacuum
04	SD120A SIRIO	Magnetic	Dia.120 Adjust
05	SdT3M	Magnetic	Dia. 95mm / Adjust
06	SD90	Magnetic	Dia. 90mm / SO239
07	SD120SIRIO	Magnetic	Dia. 120mm / SO239
08	SD110	Magnetic	Dia. 110mm / SO239
09	SD90SMA	Magnetic	Dia. 90W. SMA-Female

序号(No)	型号 (Model)	装备 (Mounting)	描述 (Description)
10	SD170E	Magnetic	Dia.170mm / Vacuum
11	SD170	Magnetic	Dia.170mm
12	SD150A	Magnetic	Dia.150 Adjust
13	SD110N	Magnetic	Dia. 110mm.N-Male
14	SD90BK	Magnetic	Dia.90mm bracket
15	SD390	Magnetic	Dia.90X3
16	SD90B-DW	Magnetic	Dia. 90mm / Counterpoise
17	SD150NMO-DW	Magnetic	Dia.150mm/counterpoise
18	SD-NEW-3-CABLE		SO239 CABLE

车载夹边 (Clip Mount For Mobile Antenna)



01



02



03



10



11



12



04



05



06




13



14



15



07



08



09



16



17



18


序号(No)	型号 (Model)	装备 (Mounting)	描述 (Description)
01	SDC-1	Cable	SO239 mount cable
02	SD-CBB	Trunk	CB Antenna Mounting Bracket
03	SD400S/B	Trunk	Tilt Angle Adjust
04	SD-T3 base	Trunk	Hole Dia.12.5mm
05	SD402B	Trunk	3-axis.adjust
06	SDK33S	Trunk	Tilt Angle Adjust
07	SDBK	Trunk	Tilt Angle Adjust
08	GK-408	Trunk	Tilt Angle Adjust
09	SD-Prado	Trunk	

序号(No)	型号 (Model)	装备 (Mounting)	描述 (Description)
10	SD401	Trunk	Tilt Angle Adjust
11	SDTS60	Trunk	Tilt Angle Adjust
12	SDKYD	Trunk	Tilt Angle Adjust
13	SD-K77	Bracket	Easy installed by hand
14	SDBK	Trunk	Tilt Angle Adjust
15	SD-K66	Bracket	Stainless steel, guard against theft
16	SD-K401	Bracket	2-axis adjustable, compact&heavy duty type
17	SD-K405	Bracket	2-axis adjustable, compact&heavy duty type
18	SD407	Trunk	

船舶天线 (Marine Antenna)




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-MRF0.6	700-2700MHz	6-10dBi	SMA or customized	600mm
02	SD-MRF27	24.5-29.5MHz	3.0dBi	SO239	1120mm
03	SD-MRF120C	156-163MHz	4.0dBi	SO239 or N female	1200mm
04	SD-MRS140/176	156-163MHz	6.5dBi	SO239 or N female	990mm
05	SD-MRF27INOX	24.5-29.5MHz	3.0dBi	SO239	1120mm
06	SD-MRS136	136-174MHz	3.5dBi	SO239 or N female	1100mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	长度(Length)
07	SD-MRF130V	156-163MHz	3.0dBi	1300mm
08	SD-MRF170V	156-163MHz	4.5dBi	1700mm
09	SD-MRF240C	156-163MHz	6.5dBi	2400mm
10	SD-MRF240V	156-163MHz	6.5dBi	2400mm
11	SD-MRF320V	156-163MHz	7.0dBi	3200mm

船舶天线 (Marine Antenna)



01

02

03

04



05

06

07

08

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD-MRF105V	156-163MHz	3.5dBi	Customerized	1050mm
02	SD-MRF105VS	156-163MHz	3.5dBi	Customerized	1050mm
03	SD-MRF110V	156-163MHz	4.0dBi	SO239	1100mm
04	SD-MRF125V	156-163MHz/4G	3.5dBi	SO239/N female	1250mm
05	SD-MRF003	1575 ± 5MHz	>28dBi	Customerized	96×96×127mm
06	SD-MRF004	1575 ± 5MHz	>28dBi	Customerized	96×96×125mm
07	SD-MRF001	ABS 4-way Ratchet Marine mount with Standard 1"-14 male threads			
08	SD-MRF002	Gasting Heavy Duty 4-way Ratchet Marine mount with Standard 1"-14 male threads and stainless steel material with mirror housing			

2.4GHz/5.8GHz 天线 (2.4GHz/5.8GHz Antenna)



01

02

03

04



05

06

07


08

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD5.1-C5	5.1-5.8GHz	2.0dBi	SMA	100mm
02	SD5.8-C5/TX	5.1-5.8GHz	2.0dBi	SMA	100mm
03	SD5.8-C5/RX	5.1-5.8GHz	2.0dBi	SMA	100mm
04	SDW15-D	2.4 / 5G	7.0dBi	SMA	150mm
05	SDW16	2.4 / 5G	7.0dBi	SMA	160mm
06	SDW20	698-2700MHz	6dBi	SMA/M or RP SMA/M	200mm
07	SD5.8-C3	5.1-5.8GHz	2.0dBi	SMA	100mm
08	SD5.8-C4	5725-5875MHz	2.0dBi	SMA	100mm

VHF/UHF 基站天线 (V/UHF Fixed Station Antenna)




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	描述 (Description)	长度(Length)
01	SDBF0.6-L	V/UHF/WIFI/4G	8dBi	N-Female	600mm
02	SDBF130VF	VHF or UHF	3.5dBi	UHF-Female / N-Female	1300mm
03	SD-X30	144/430MHz	3.5 / 5.5dBi	UHF-Female / N-Female	1300mm
04	SD-X5000	144/430/1200MHz	4.5/8.3/11.7dBi	UHF-F with 3 bands	1600mm
05	SD-X50D	144/430MHz	4.5/7.2dBi	UHF-Female / N-Female	1700mm
06	SD-X50	144/430MHz	4.5 / 7.2dBi	UHF-Female / N-Female	1700mm




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	描述 (Description)	长度(Length)
07	SDBC100	134-174MHz	4.5dBi	UHF-Female / N-Female	1700mm
08	SDBC100S	115-174MHz	4.5dBi	UHF-Female / N-Female	1700mm
09	SDBC200	430-490MHz	6.5dBi	UHF-Female / N-Female	1700mm
10	SDBC200L	370-430MHz	6.5dBi	UHF-Female / N-Female	1700mm
11	SDX250	VHF or UHF	6.5 or 8.5dBi	UHF-F 5MHz / 10 MHz	2500mm
12	SDBF250VF	VHF or UHF	6.5 or 8.5dBi	UHF-F VHF or UHF full band	2500mm

VHF/UHF 基站天线 (V/UHF Fixed Station Antenna)




序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	描述 (Description)	长度(Length)
01	SDX510M	144/430MHz	8.4/11.7dBi	UHF-F three section	5200mm
02	SD-F23	144-174MHz	7.8dBi	UHF-F three section	4500mm
03	SD-V2000	50/144/430MHz	2.5/6.2/8.4dBi	UHF-F with 3 bands	2350mm
04	CP-22E	144-174MHz	6.5dBi	2×5/8wave adjustable	2700mm
05	SD-BC101	144-174MHz	3.5dBi	UHF-F 5/8wave GP	1500mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	描述 (Description)	长度(Length)
06	SDBF4.0V	136-174MHz	8.5dBi	UHF-F bandwidth 5MHz	4000mm
07	SDBF4.0U	400-470MHz	10.5dBi	two section 10MHz width	4000mm
08	SDBF220V	136-174MHz	6.5dBi	UHF-F bandwidth 5MHz	2200mm
09	SDBF220U	400-470MHz	8.5dBi	UHF-F bandwidth 5MHz	2200mm
10	SD-F23H	144-174MHz	8.7dBi	UHF/N-F three section	5200mm

VHF/UHF 基站天线 (V/UHF Fixed Station Antenna)



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	描述 (Description)	长度(Length)
01	SD-VX4000	144/430/1200MHz	2.6/5.8/9.2dBi	N-Female	1400mm
02	SDBF250GS	GSM or 1090MHz	12dBi	N-Female	1700mm
03	SDBA27	27mhz or 66-88MHz	5.5dBi	aluminium alloy	5200mm/3200mm
04	SDBA3.2	27mhz or 136-174MHz	5dBi	aluminium alloy	5200mm/3200mm
05	SDF22	144-174MHz	6.7dBi	UHF-F two section	3200mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	描述 (Description)	长度(Length)
06	SDD130	25-3000MHz	3.5dBi	50/144/430/904/1200MHz	1700mm
07	SDBZL	136-174MHz or 400-470MHz	10/15dBi	4 dipole antennas	6M(VHF), 2.2M(UHF)
08	SDBA4	136-174MHz or 400-470MHz	10/15dBi	4 dipole antennas	6M(VHF), 2.2M(UHF)

5G/4G/LTE 天线 (5G/4G/LTE Antenna)



01



02



03



04



05



06



07



08

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	描述(Description)
01	SDBF25/4G	695-4800MHz	12dBi	N-Female	Full band , High gain
02	SDBF25/4G-SS	695-4800MHz	12dBi	N-Female	Full band , High gain
03	SDBF25/4G-MAG	695-4800MHz	12dBi	NMO	with magnetic base
04	SDBF25/4G-SS-S	695-4800MHz	12dBi	N-Female	with spring base
05	SDYL2/4G-1	698-2700MHz	12dBi	N-Female	N-Female with 20cm Cable
06	SDYL2/4G-2	698-2700MHz	12dBi	N-Female	N-Female with Cable of 200mm length
07	SDWM4/4G	698-2700MHz	14dBi	N-Female	210x180x44mm
08	SDXD3/4G	698-2700MHz	3.5dBi	N-Female	167x100mm



09



10



11



12



13



14



15



16

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
09	SDBF23/4G	698-2700MHz	4.5dBi	N-Male	230mm
10	SDBF0.3-4G	698-2700MHz	8dBi	N Male	300mm
11	SD30-5D/4G	698-2700MHz	5.0dBi	SMA-Male	240mm
12	SD45-7D/4G	698-2700MHz	7.5dBi	SMA-Male/BNC/TNC	300mm
13	SD30	GSM or 4G	3.0dBi	SMA.etc	110mm
14	SDD11/4G	698-2700MHz	2.5dBi	SMA-Male/RP-SMA-Male	110mm
15	SDD21/4G	698-2700MHz	5.5dBi	TNC/BNC/SMA	210mm
16	SDD28C/4G	698-2700MHz	7.5dBi	TNC/BNC/SMA	280mm

4G/LTE 天线 (4G/LTE Antenna)



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SDBF60-MAG39	698-2700MHz	6.5dBi	N-Male	600mm
02	SDBF60/4G	698-2700MHz	6.5dBi	N-Female	600mm
03	SDBF60SS	698-2700MHz	6.5dBi	FME	730mm
04	SDBF60EJG	698-2700MHz	6.5dBi	N-Male	850mm
05	SDBF96/4G	698-2700MHz	12dBi	N-Female	960mm



序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	描述(Description)
06	SDXGP-B	698-2700MHz	3dBi	NMO	Popular Type with 90mm magnetic base
07	SDSYNM90-4G	698-2700MHz	3dBi	NMO	New Fashion Design with 90mm magnetic base
08	SDXGP-VU	698-2700MHz	3.5dBi	NMO	Popular Type with 60mm magnetic base
09	SDSY-4G	698-2700MHz	4.5dBi	NMO or N female	New Fashion Design
10	SDD2.5D/4G	698-2700MHz	1.0dBi	SMA connector	25mm
11	SDJSD6	698-2700MHz	2.5dBi	SMA Female	110mm
12	SDD2.5A/4G	698-2700MHz	1.0dBi	SMA-Male/RP-SMA-Male	25mm
13	SDD5/4G	698-2700MHz	2.5dBi	SMA connector	50mm
14	SDXLJ/4G	698-2700MHz	2.5dBi	SMA connector	50mm

433 / 868 / 915 MHz



01



02



03



04



05



06



07



08

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD868T	433 or 868MHz	5.5dBi	SMA	170mm
02	SD90-GSM-7	900 / 1800MHz	7dBi	SMA	370mm
03	SD90-GSM-5	900 / 1800MHz	5dBi	SMA	320mm
04	SDBF60	433 or 868MHz	6.5dBi	N-Female	600mm
05	SDXP5	868MHz or GSM	3.5dBi	SMA-Male	50mm
06	SDVX160S	433 or 868MHz	2.5dBi	SMA-Male	90mm
07	SD3688B	433 or 868MHz	2.5dBi	SMA/BNC/TNC	90mm
08	SD669CB	433 or 868MHz	2.5dBi	SMA/BNC/TNC	170mm



09



10



11



12



13



14



15

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
09	SD868MD11	433 / 868MHz	5.5dBi	SMA	113mm
10	SD868MB93	433 / 868MHz	5.5dBi	SMA	113mm
11	SD433/868M	433 or 868MHz	5.5dBi	SMA	170mm
12	SDD11	433 or 868MHz	2.5dBi	SMA	110mm
13	SDVX160L	433 or 868MHz	2.5dBi	SMA-Male	165mm
14	SDD21	433 or 868MHz	5.5dBi	SMA-Male	210mm
15	SDBF250	433 or 868MHz	10.5dBi	N-Female	2500mm

433 / 868 / 915 MHz



01



02



03



04



05



06



07



08

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SD868	433 or 868MHz	3.5dBi	SMA	170mm
02	SD868L	433 or 868MHz	3.0dBi	TNC	225mm
03	SDD11-433M	433/868/WIFI	2.5dBi	SMA/RP SMA	110mm
04	SDT4	433 or 868MHz	3.5dBi	SMA	15*19mm
05	SD669C	433 or 868MHz	3.5dBi	SMA	80mm
06	SD-CS2C	VHF/UHF/V/U, 800/900MHz, WiFi, 4G	3.5/5.5 dBi	SMA/TNC/BNC/N-Type	315mm
07	SD-CS3C	VHF/UHF/V/U, 800/900MHz, WiFi, 4G	3.5/5.5 dBi	SMA/TNC/BNC/N-Type	315mm
08	SD433ALAN	433 or 868MHz	3.5dBi	SMA	175mm

GPS 天线 (GPS Antenna)



01



02



03



04



05



06



07



08

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	功率(Max. power)
01	SD-GPS005	1575.42MHz	28dBi±3dBi	TNC/BNC/SMA/MCX	5W
02	SD-GPS002-WO	1575.42MHz±3MHz	28dBi±3dBi	SMA/SMB/MCX/BNC	5W
03	SD-GPS004	1575.42MHz	28dBi	SMA-Male	5W
04	SD-GPS005-MAG	1575.42MHz	28dBi±3dBi	TNC/BNC/SMA/MCX	5W
05	SD-GPS003	GSM / GPS	28dBi	Two SMA-Male	5W
06	SD-GPS003-3	GSM / GPS / 4G	28dBi	Three SMA-Male	5W
07	SD-GPS001	1575.42MHz	28dBi	SMA-Male	5W
08	SD-GPS002	1575.42MHz	28dBi	SMA-Male	5W

WIFI 天线 (WIFI Antenna)



01



02



03



04



09



10



11



12



05



06



07



08



13



14



15



16


序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
01	SDW2.5A	2400-2500MHz	1.0dBi	SMA connector	25mm
02	SDW2.5	2400-2500MHz	1.0dBi	SMA connector	25mm
03	SDW5XLJ	2400-2500MHz	1.5dBi	SMA connector	50mm
04	SDW5	2400-2500MHz	1.5dBi	SMA connector	50mm
05	SDW11	2400-2500MHz	2.5dBi	SMA connector	110mm
06	SDW16	2400-2500MHz	3.5dBi	SMA connector	160mm
07	SDW19	700-2700MHz	5dBi	SMA connector	190mm
08	SDW40	2400-2500MHz	12dBi	SMA connector	400mm

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	接头(Connector)	长度(Length)
09	SDW7	2400-2500MHz	2dBi	SMA connector	70mm
10	SDW9	2400-2500MHz	2dBi	SMA connector	90mm
11	SDW15	2400-2500MHz	2.5dBi	SMA connector	150mm
12	SDW17	2400-2500MHz	3.5dBi	SMA connector	170mm
13	SDW21	2400-2500MHz	5.5dBi	SMA connector	210mm
14	SDW28	2400-2500MHz	7.5dBi	SMA connector	280mm
15	SDW38	2400-2500MHz	9dBi	SMA connector	380mm
16	SDW38B	2400-2500MHz	9dBi	SMA connector	380mm


八木天线 (Yagi Antenna)




01




02




03




04




05



06




07



08



09



10



11



12

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	单元(Element)	备注(Note)
01	SDYV1(BLACK)	136-174MHz	2.15dBi	1	
02	SDY145/435	144/430MHz	9.5/11.5dBi	8	Sliver
03	SDY400B/7	400-470MHz	10dBi	7	Aluminium Alloy weld
04	SDY900B/7	890-960MHz	10dBi	7	Aluminium Alloy weld
05	SDY400G/6	406-430MHz	10dBi	6	Aluminium Alloy weld
06	SDY400B/10	763-860MHz	12dBi	10	Aluminium Alloy weld

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	单元(Element)	备注(Note)
07	SDY450B/5	430-470MHz	9dBi	5	Aluminium Alloy screwed
08	SDYV5B	136-174MHz	9dBi	5	bandwidth±5Mhz
09	SDY88/108F	88-108MHz	2.15dBi	1	Full band type
10	SDY400B/3	400-470MHz	7dBi	3	
11	SDYV1	66-88/88-108MHz	2.15dBi	1	
12	SDYV3	136-174MHz	7dBi	3	Sliver 5MHz

八木天线 (Yagi Antenna)




01



02



03



04



05



06

序号(No)	型号(Model)	频率(Frequency)	增益(Gain)	单元(Element)	备注 (Note)
01	SD900B/4	890-960MHz	8dBi	4	Aluminium Alloy weld
02	SDY88/108	88-108MHz	3dBi	C	
03	SDY88/108A	88-108MHz	2.15dBi	1	Tunable type
04	SDY220-235	220-235MHz	12dBi	10	
05	SDY4G-3	698-2700MHz	12dBi	3	
06	SDY4G-4	698-2700MHz	12dBi	4	

接头 (Connectors)



SMA-Male/UHF-Female



RP-SMA-Male



RP-SMA-Female



SMA-Male/BNC-Male



SMA-Male/BNC-Female



SMA-Male/N-Female



SMA-Male/N-Male



SMA-Male/UHF-Male



SMA-Male/TNC-Female



SMA-Male/TNC-Male



SMA-Female/UHF-Female



SMA-Female/UHF-male



SMA-Female/TNC-Male



UHF-Male/N-Male



N-Female/UHF-Male



SMA-Male



SMA-Male/BNC-Female



SMA-F(pcb2)



SMA-Male



SMA-F(pcb1)

接头 (Connectors)



SMA-Male(right angle)



SMA-Female



SMA-Male(right angle)pcb2



SMA-Female/BNC-Male



TNC-Male/N-Female



TNC-Female2



N-Male/TNC-Female



N-Male / N-Male



UHF-Male1



UHF-Male2



UHF-Male



FME-Male/SMA-Male



N-Male/N-Female



N-Male/FME-Male



N-Male/FME-Female



N-Male/MCX-Male



SMA-Male(right angle)pcb1



UHF-Female1



BNC-Male



BNC-Female1



N-Male/F-Female



UHF-Female(pcb)



UHF-Female to UHF-Female



UHF-Female/UHF-Male



BNC-Female2



TNC-Male



TNC-Female1



N-Male1



BNC-M/RP-SMA-M



N-Male2



N-Female2



N-Female4



N-Female1



MINI UHF-M/UHF-Femlae



BNC-Male/UHF-Female



BNC-Female



N-Female



N-Female/FME-Female



FME-Female



N-Female3

接头 (Connectors)



MINI UHF-Male



MINI UHF-Female



TS9



CRC9



N-Female/FME-Male



FME-Male



FME-Female/SMA-Male



MCX(right angle)



MCX-Male(pcb)



MCX-Male/SMA-Male



MCX-Female(pcb)



MCX-Female



MMCX



MMCX(right angle)



BNC-Male



F-Male



FME-Female



MCX



MMCX



SMA-Male



N-Female



N-Male/SMA-Male



SO239/SMA-Female



TNC-Male/N-Female



PL259/UHF



UFL-2



UFL



PL259 Reduced



RG174 RG58A/U RG58U LMR200 LMR400 RG178 RG316 RG213 RG8

型号 (Type)	芯线 (Center conductor)	Nominal	Shield cover	Attenuation db/100ft					TEMP SPEC
				100MHz	400MHz	900MHz	2.4GHz	5.8GHz	
RG174	SOLID	0.110	100% Foil	8.6	15.8	22.8	39.8	64.1	-40+185C
RG58A/U	STRANDED	0.195	96%	4.9	11.5	21.0	-	-	-40+80C
RG58U	SOLID	0.195	95%	4.5	10	14	-	-	-40+80C
LMR200	SOLID .044	0.195	80% Braid 100% Foil	3.2	6	9.9	16.9	26.4	-40+85C
LMR400	Bare Copper	10.29mm	100% foil 80% Braiding	1.2	2.5	3.9	6.8	10.8	-40+85C
RG178	Solid	1.8mm	100% foil	9.9	19.7	29.9	43.8	72.6	-40+85C
RG316	SIRANDED SILVER COATED	0.098	95%	8.3	17.5	27.3	39.8	64.1	-40+200C
RG213	Bare Copper	10.29mm	100% foil 80% Braiding	3.2	6.1	10.2	16.8	27.1	-40+85C
RG8	SOLID	0.405	88% Braid 100% Foil	1.4	2.6	4.2	7.5	12	-40+80C